

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	719	brocade.as.	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L2	21	brocade.as. and frame near3 trac\$3	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L3	337	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and trac\$3 near3 (frame packet)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L4	19	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and trac\$3 near3 (frame packet) and trac\$3 near3 (frame packet) with (ber bir speed rate)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L5	124	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and (add\$3 plac\$3) near3 (ber bir speed rate period) with (frame packet)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L6	291	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and (path link connection) near3 (trac\$3)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L7	121	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and (path link connection) near3 (trac\$3) and source same destination same (packet header frame)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L8	1	"5844902".pn. and bridge	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L9	2	10/699603.app. and unit	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L10	59	("5774660"   "5778174"   "5781550"   "5915087"   "5941988"   "5950195"   "5951694"   "6006264"   "6098172"   "6128642"   "6128657"   "6137777"   "6185619"   "6247054"   "6249801"   "6263368"   "6327622"   "6330602").PN. OR ("6775692").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2012/01/06 11:20
L11	166	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and cost with (rate speed)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L12	1389	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ocls. and (@r!ad<"20031031" or @ad<"20031031") and rate with (period time near (interval length))	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20

L13	9	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@r!ad<"20031031" or @ad<"20031031") and rate with (period time near (interval length)) with (embed\$4 add\$3 modif\$4) near3 (packet frame message trac\$3 explor\$3)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L14	52	"4621362"   "4706080"   "4706081"   "4718005"   "4727592"   "4733391"   "4811337"   "4901312"   "4933938"   "4972409"   "5016244"   "5018133"   "5018137"   "5027350"   "5038340"   "5060228"   "5150360"   "5214646"   "5239537"   "5280480"   "5293635"   "5315592"   "5321695"   "5323394"   "5327424"   "5392399"   "5398242"   "5400333"   "5421024"   "5432907"   "5563875"   "Re33426").PN. OR ("5844902").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2012/01/06 11:20
L15	10	(@r!ad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and cost with (rate speed) with (header packet frame message trac\$3 explor\$3 information) near3 (add\$3 modif\$4 embed\$4 append \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2012/01/06 11:20
L16	10	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@r!ad<"20031031" or @ad<"20031031") and rate with (period time near (interval length)) with cost	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L17	39	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@r!ad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and cost with (rate speed) with (header packet frame message trac\$3 explor\$3 information)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L18	30	("5675576"   "6069872").PN. OR ("6359863").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2012/01/06 11:20
L19	69	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@r!ad<"20031031" or @ad<"20031031") and (speed rate) with (period time near (interval length)) and (rate speed) with (field header) with (modif\$3 modification chang\$3 updat\$3 embed\$4)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L20	47	("4993015"   "5502712"   "5825751"   "5920705"   "5926463").PN. OR ("6538997").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2012/01/06 11:20
L21	16	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@r!ad<"20031031" or @ad<"20031031") and (els extend\$3 adj link\$ adj service \$)	US-PGPUB; USPAT	OR	OFF	2012/01/06 11:20
L22	1	"370".clas. and (@r!ad<"20031031" or @ad<"20031031") and (els extend\$3 adj link\$ adj service\$) and ffffd	US-PGPUB; USPAT	OR	OFF	2012/01/06 11:20
L23	48	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@r!ad<"20031031" or @ad<"20031031") and ("same" equal equivalent) near3 cost near3 (path link connection line)	US-PGPUB; USPAT	OR	OFF	2012/01/06 11:20

L24	59	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (switch bridge) with edge with core	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L25	7	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (multi\$level\$2 multi\$tier\$2 multiple\$tier\$2 multiple\$level\$2 multi\$3 adj (tier\$2 level\$2)) near3 (switch bridge)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L26	30	(@!rad<"20031031" or @ad<"20031031") and (multi-tier\$2 multi\$tier\$2 multiple \$tier\$2 multi\$3 adj tier\$2) near3 (switch bridge)	US-PGPUB; USPAT; USOCR; FFRS; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2012/01/06 11:20
L27	58	"370".clas. and (@!rad<"20031031" or @ad<"20031031") and (multi\$level\$2 multi\$tier\$2 multiple\$tier\$2 multiple\$level\$2 multi\$3 adj (tier\$2 level\$2)) near3 (switch bridge)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L28	109	(@!rad<"20031031" or @ad<"20031031") and (multi-tier\$2 multi\$tier\$2 multiple \$tier\$2 multi\$3 adj tier\$2) with (switch bridge)	US-PGPUB; USPAT; USOCR; FFRS; EPC; JPC; DERWENT; IBM_TDB	OR	ON	2012/01/06 11:20
L30	128	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (fibre fiber fc) and (header) near20 (port) and header near20 source and header near20 destination	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L31	0	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (fibre fiber fc) and (header payload) near20 (port) and (header payload field) near20 (switch adj (id identifier)) and header near20 source and header near20 destination	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L32	124	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (fibre fiber fc) and (header) near20 (port) and header near20 source and header near20 destination and (add \$3 modif\$4 chang\$3)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L33	14	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (fibre fiber fc) and (header) near20 (port) same (speed rate) and cost	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L34	36	rate.ab. near20 header.ab. near20 transmi\$5 near20 receiv\$3	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20

L35	72	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".cols. and (@!rad<"20031031" or @ad<"20031031") and (fabric) near7 (manager control \$3) and (header) near20 (source destination) with port	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L36	49	"370".clas. and (@!rad<"20031031" or @ad<"20031031") and well adj known near3 address and destination near7 payload	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L37	133	"370".clas. and (@!rad<"20031031" or @ad<"20031031") and ((equal) near3 cost near20 (multi\$3 adj path multi\$1path multipath) ecmp)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L38	303	"370".clas. and (@!rad<"20031031" or @ad<"20031031") and rate near3 (header field) and measur\$3 near7 rate	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L39	566	"370".clas. and (@!rad<"20031031" or @ad<"20031031") and rate near3 (header field) and (transmi\$3 tx) near7 rate and (arrival receiv\$3 rx) near7 rate	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L40	16	"370".clas. and (@!rad<"20031031" or @ad<"20031031") and rate near3 (header field) with (transmi\$3 tx) with (arrival receiv\$3 rx)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L41	169	(@!rad<"20031031" or @ad<"20031031") and port with rate near7 (measur\$3 obtain\$3 determin\$3 measurement) with (frame packet message header)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L42	19	(@!rad<"20031031" or @ad<"20031031") and port with rate near7 (measur\$3 measurement) with (frame packet message header)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L43	11192	(@!rad<"20031031" or @ad<"20031031") and (measur\$3 measurement) with (transmi\$3 tx receiv\$3 rx) with rate	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L44	119	L43 and (frame message header) with rate near3 field	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L45	209	(@!rad<"20031031" or @ad<"20031031") and (measur\$3 measurement) with (transmi\$3 tx receiv\$3 rx) with rate same port	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L46	2	L45 and (frame message header) with rate near3 field	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L47	1	"6671257".pn.	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L48	214	(@!rad<"20031031" or @ad<"20031031") and (measur\$3 measurement) with (transmi\$3 tx receiv\$3 rx) with (rate throughput through adj put) same port	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L49	2	L48 and (frame message header) with rate near3 field	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L50	4	L48 and (frame message header) with (throughput through adj put)	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L51	1	"20050086368".pn.	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L52	1	"7206288".pn.	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20

L53	0	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and link adj service adj code	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L54	14	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and trac\$3 near3 flag	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L55	5	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and (add\$3 additional) near3 tlv	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L56	0	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and (increment\$3) near3 tlv	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L57	0	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and (increment\$3) near20 tlv	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20
L58	0	"370/229,232,233,234,236,236.1,236.2,241,242,252,253".ccls. and (@rlad<"20031031" or @ad<"20031031") and (increment\$3) with tlv	US-PGPUB; USPAT	OR	ON	2012/01/06 11:20

## EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L59	16	VALDEVIT.in. with EZIO.in.	US-PGPUB; USPAT; UPAD	OR	ON	2012/01/06 11:51
L61	98	"370/229,232,233,234,236,236.1,236.2,241,242,250,252,253".ccls. and rate.clm. same measur\$3.clm. and (id identity identif\$4).clm.	USPAT; UPAD	OR	ON	2012/01/06 11:54
L62	10	"370/229,232,233,234,236,236.1,236.2,241,242,250,252,253".ccls. and rate.clm. same measur\$3.clm. same port.clm.	USPAT; UPAD	OR	ON	2012/01/06 11:57
L64	7	rate.clm. same measur\$3.clm. same port.clm. same (id identity identif\$4).clm.	USPAT; UPAD	OR	ON	2012/01/06 11:59

1/6/2012 12:00:16 PM

H:\Documents and Settings\Workspaces\10699588.wsp